



Fast lane Speed Gate

ZOJE-BST400® Fast lane Speed Gate is designed on the aesthetics of modern art, making it popular around the world.The cabinet is made of 304 stainless steel, and the appearance is painted.It can be adapted to a variety of venues and is one of our signature products.Self-designed mechanical structure combined with powerful brushless or servo motor ensures a long-term,stable and proper function..

Fast lane Speed Gate

Pairs of IR sensors will make ZOJE-BST400® Fast lane Speed Gate a safe passage for children and seniors. When fully closed, the swing doors meet in the middle for maximum security. The number of IR can be customized according to needs. Alarm system provides both audio and light signals to prevent any kind of unauthorized passing.

Swing doors will automatically close in case of any tailgating.

These speed gate turnstiles are configurable for one-way or both-way passage. A variety of modules could be integrated to control the access including IC / ID / RFID card readers, QR code reader, fingerprint recognition, face recognition, iris recognition and other biometric methods.

This speed gate turnstile is a nice combination of high quality and affordable price for all customers around the globe.

Size and shapes can be customized. Passage widths are flexible according to need. Large width passage can be customized for disabled and trolley access.

With its user-friendly working system, this speed gate turnstile is low in power consumption and low in noise.

	Standard	Optional
Turnstile Type	Speed gate turnstile	-
Dimension	1400*65/172.5*1000mm (L*W*H)	Customized
Material	304 Stainless Steel	316 Stainless Steel
Channel Width	600mm	900mm /Customized
Door Material	Acrylic	Tempered glass
Drive Type	Brush motor	Servo motor
Unlock time	0. 2S	-

Product Parameter (Specification)



www. zoje-tech. com

Direction	Single / Bidirectional	-
Power Supply	AC110-230, 50/60Hz	_
Operation Voltage	DC24V, 3A	-
Function	Fail safe, anti-clamping, anti-pinch	-
Working environment	Indoor & outdoor	_
Working Temperature	-70 C -15 C	-
Relative Humidity	Less Than 95%, No Condensation	-
Pass Speed	35-40person/Minute	_
Input Interface	Dry contact/Relay Signal	-
Communication Interface	RS485/TCPIP	-
LED Indicator	Yes	-
Emergency	Open Automatic	_
Access Control	Can be integrated with any kind of access control system.	-

Product Feature And Application

ZOJE-BST400 speed gate turnstile

•Unique technology: Self-developed mechanical structure together with powerful motor enables the turnstile running smoothly and stably in the long run.

• The width of the channel can be customized according to project requirements

• The height of swing doors can be customized as needed.

•High sensitivity optical sensors are integrated to detect visitors approaching, ensuring top safety for all pedestrians.

●The Equipment Has A Device And Circuit Testing Function, Easy Maintenance

• Equipment With Traffic Indicator

lackbdot Equipment With Automatic Protection, Automatic Reset

●Unified standard external electrical interface, which can be connected with various reading and writing devices(ID Card / IC Card /EMcard / Fingerprint Face Recognition / QR Code / ESD system)

●Z0JE-BST400 Fast lane Speed Gate widely used in office building, bank and other places, can be easily integrated with your existing control software.

Product Details









