

High wing swing gate

ZOJE-BST200® High wing swing gate is a full cabinet made of stainless steel in order to meet the requirements of different customers. The top is matched with a piece of black tempered glass, which makes the whole gate look more coordinated and easier integration with different systems. Swing doors can be customized in height to meet different project needs.

High wing swing gate

ZOJE-BST200® High wing swing gate is flexible enough to be installed in any interior situation.

With its two swing doors, the speed gate turnstile channels and manages people entering or moving around buildings. It works as a boundary between public area and private section.

These optical speed gate turnstiles are able to control one-way or bi-directional enter or exit accordingly.

Cabinet is made of premium stainless steel to maintain a long-term use.

It can be integrated with any kind of access controller system (e.g.: RFID device, QR code, Fingerprint and face recognition). Also easy to interface with your existing system.

Size and shapes can be customized. Welcome to contact us for more details.

	Standard	Optional
Turnstile Type	Sliding turnstile gate	-
Dimension	1400*65/172.5*1000mm (L*W*H)	Customized
Material	304 Stainless Steel	316 Stainless Steel
Channel Width	600mm	900mm /Customized
Door Material	Acrylic	Tempered glass
Drive Type	Brush motor	Servo motor
Unlock time	0.25	-
Direction	Single / Bidirectional	-
Power Supply	AC110-230, 50/60Hz	-
Operation Voltage	DC24V, 3A	-
Function	Fail safe, anti-clamping,anti-pinch	-

Product Parameter (Specification)



Working environment	Indoor & outdoor	-
Working Temperature	-70 C -15 C	-
Relative Humidity	Less Than 95%, No Condensation	-
Pass Speed	35-40person/Minute	-
Input Interface	Dry contact/Relay Signal	_
Communication Interface	RS485/TCPIP	-
LED Indicator	Yes	-
Emergency	Open Automatic	-
Access Control	Can be integrated with any kind of access control system.	-

Product Feature And Application

ZOJE-BST200 speed gate turnstile

•Unique technology: Self-developed mechanical structure together with powerful motor enables the turnstile running smoothly and stably in the long run.

• The width of the channel can be customized according to project requirements

• The height of swing doors can be customized as needed.

•High sensitivity optical sensors are integrated to detect visitors approaching, ensuring top safety for all pedestrians.

● The Equipment Has A Device And Circuit Testing Function, Easy Maintenance

• Equipment With Traffic Indicator

• Equipment With Automatic Protection, Automatic Reset

 \bullet Unified standard external electrical interface, which can be connected with various reading and writing devices(ID Card / IC Card /EMcard / Fingerprint Face Recognition / QR Code / ESD system)

●ZOJE-BST200 High wing swing gate widely used in office building, bank and other places, can be easily integrated with your existing control software.

Product Details









